

Speed Queen®

Vended

Topload Washers
Frontload Washers
Stack Washer/Dryers
Stack Dryer/Dryers
Dryers



A Passion to Lead



What makes a leader?

At Speed Queen, we've always felt our measure is equal parts quality, technological innovation and time-tested performance. Dating back to 1908, we have been continually focused on



improving our manufacturing processes and products. Today's customers need equipment that is energy efficient, flexible and delivers excellent performance. Our products set industry standards for efficiency and reliability. Speed Queen remains steadfast in



our commitment to offering premium quality products that have our customers redefining perceived limits of productivity and profitability.



Toploaders

Toploaders are easy to operate and enable customers to add forgotten items after the cycle has started. Speed Queen commercial toploaders help a coin laundry owner provide an assortment of machines to fill the varying needs of customers — particularly those who prefer to separate items into smaller loads. Boasting a variety of features, Speed Queen toploaders include:

- Heavy-duty components, including a stainless steel washtub, all metal transmission and a commercial-grade cabinet finish, ensure an extended life for your coin laundry investment.
- A durable stainless steel washtub keeps your customers' clothes looking their best longer. Speed Queen's exclusive stainless steel tub actually becomes smoother with each use, so it won't pill, snag or fray clothes. In addition, stainless steel won't corrode, chip, crack or pit with normal use; and it is rust resistant.
- Speed Queen's toploaders are compliant to the 2007 U.S. Department of Energy's water and energy efficiency standards for commercial washers. Owners benefit from significant savings in water and energy costs.
- At 710 RPM, the toploader's spin speed ranks among the highest in the industry. Thus, less moisture is left in loads compared to competitive models. That translates into reduced drying time and leaves your store better prepared to handle high turn volumes during peak periods.
- Our curved four-vane agitator delivers an industry-best 210° wash stroke that produces unparalleled cleaning results.
- Simple removal of the front panel or control hood provides easy access for servicing from the installed position. This saves time and money should the washer require service. It also enables owners to perform service or maintenance themselves, saving even more money.





Frontloaders

Frontloaders reduce operating costs due to their low water usage and high-speed extract. Fast cycle times are conducive to high turn counts for busy vended laundries. Speed Queen's Horizon® model line is ENERGY STAR® qualified. Delivering a variety of features, Speed Queen frontloaders include:

- Speed Queen's Horizon keeps water consumption at just 14.8 gallons a cycle, which is a savings of more than 40 % compared to some commercial topload washers.
- Our large door means customers can make short work of loading and unloading, while a see-through glass window keeps them apprised of the cycle progress. A heavy-duty piano-style hinge makes sure the door is up to the rough demands of a busy coin laundry.
- A 1,000 RPM spin speed increases overall laundry efficiency by removing more moisture from loads. Less moisture translates into reduced drying times.
- Unlike tilted tubs, our true horizontal design gives increased contact between clothes, water and detergents for superior cleaning results. The design shortens cycle times and helps you get customers in and out quick.
- The durability of the Horizon starts with rugged steel drive components (pulley, trunnion, tub, shaft and bearings) and includes stainless steel inner and outer tubs. Our heavy-duty design means years of reliable service for you.
- A frontmount supply dispenser creates customer convenience by automatically adding detergent bleach and softener. The unit is ADA compliant, creating convenience for customers with disabilities.
- The pump drain allows the Horizon to be installed adjacent to or replace topload washers with no special plumbing. A gravity drain option also is available.





Dryers

Commercial dryers are designed as a perfect compliment to frontload and topload washers for vended laundry applications in areas where revenues may not support a large-scale coin laundry. Features of these dryers include:

- At 7.0 cu. ft., the dryer's capacity is spacious enough to handle large loads. The cylinder capacity also promotes fast drying due to increased tumble action. The dryer's capacity and drying efficiency combine to get customers in and out faster increasing their satisfaction.
- Because Speed Queen's lint filter is located up-front, it's highly visible and easy to keep clean.
- Our dryer door opening is 2.06 sq. ft. — the largest in the industry. The larger opening makes loading and unloading a breeze.
- The door is reversible, giving you flexibility in your laundry room layout.
- Speed Queen's two-piece front panel reduces down-time for service. The unit's motor, blower, heating element, gas valve and thermostats can be serviced through the lower panel without disconnecting the door switch.
- A quiet, efficient blower system, with superior airflow of 220 cu. ft. per minute, produces quick drying results, while keeping operating costs low.





Stack Washer/Dryer and Stack Dryer/Dryer

Stack washers and dryers are the perfect way to add capacity where space is an issue. Whether they choose a stack washer/dryer or dryer/dryer stack, owners benefit by using just half the space of a conventional washer and dryer, while not having to give up any of the features of the stand-alone units. Features of these space savers include:

- Washer/dryer stack units have the same hook-ups and connections as standard washers and dryers. The stacks also come pre-assembled to simplify installation.
- Stack units share the same high-quality options of standard washers and dryers but occupy a smaller footprint.
- Just like their stand-alone counterparts, Speed Queen stacks are 100 % front serviceable to limit downtime for service.



Controls

NetMaster®

The control helps owners fully harness technology to maximize store profitability and comes with a factory-installed coin drop or card reader. Speed Queen's NetMaster Control is the industry standard for owners seeking the utmost command of their coin laundry investment. NetMaster gives you the power of full programmability and enables owners to tailor their wash process for their particular market needs. As a business management tool, NetMaster offers owners advanced functions such as special and time-of-day promotional pricing, multi-level vend and operational reports including equipment usage data.



NetMaster Control Washer



NetMaster Control Dryer



Micro-Display Control (MDC)

This control's digital display gives your laundry a more high-tech look. Our Micro-Display Control (MDC) shows vend price, while customers stay informed about the wash process through cycle status lights and a digital cycle count-down. MDC offers four cycle selections and comes with a single coin drop installed that is easy for store owners to program the vend price. The control also can interface with a variety of after-market card reader systems.



Micro-DISPLAY Control Water-Saver Washer



Micro-DISPLAY Control Dryer

Electromechanical Control

This control is defined by its inexpensive simplicity. The electromechanical control's straight-forward design offers customers simple water temperature and fabric selections. Cue lights keep them aware of what wash cycle the washer is in or if the dryer is in use. This control will work with the coin slide manufacturer of the owner's choosing.



Electromechanical Control Two-Speed Washer



Electromechanical Control One-Speed Washer



Electromechanical Control Dryer

Activations


Card Activated

Cashless laundries increase overall convenience for customers and owners. Card payment systems end the need for customers to carry pockets of change to the laundry. The system's smart cards increase customer safety and create a higher level of customer loyalty.



World Coin Drop

This activation offers greater versatility than a standard coin drop. Utilizing electronic signature technology, the World Coin Drop measures each inserted coin's characteristics and matches it against pre-programmed standards. Coins are either accepted or rejected in less than a second. A learning function enables coin laundry owners to set machines to accept other coins or tokens. This activation can be easily reprogrammed to accept different coins and tokens.



Single or Dual Coin Drop

An all-metal design reduces coin jamming and is easy to use. A dual coin drop option is available for various coin denominations. Coin drops can accommodate vend price changes owners implement by reprogramming controls.



Coin Slide

Coin slides offer an inexpensive, reliable activation option. Coin slides were the industry standard for years because of their simple, dependable operation.



Our Commitment

Warranty

Speed Queen's commitment to customers comes with warranties that set us apart from the competition. To us, building the best machines on the market doesn't mean much if we're not willing to stand behind them. All our products are backed by a three-year warranty. An extended five-year warranty applies to key components such as the transmission assembly on toploaders and bearing assemblies on frontloaders.

In addition, we offer our Gold Medal Program for store owners who install all NetMaster equipment. Qualified installations receive a pre-opening startup audit of the store and an extended five-year warranty.



Customer One

Our leadership story continues with a progressive approach to doing business that keeps the focus wholly on you, the customer. Speed Queen's Customer One program includes offerings such as equipment financing, laundry design and demographic analysis, as well as next-day delivery on service parts, which sets us apart from the competition.

Access to these services comes courtesy of our nationwide distributor network. Authorized Speed Queen distributors are your highly trained local experts dedicated to helping investors get a solid start in the coin laundry business. They do this through assisting with site selection, equipment mix and store layout. But more than that, these professionals are committed to your continued success long after your Speed Queen has equipment received its first use.

Service schools held in both our world-class training facility and distributor locations as well as a unique online parts locator keep distributors up to date on the latest product developments. While www.speedqueen.com serves as a constant line of communication about company news, specials, product information, promotions and much more. Speed Queen's overall goal is to ensure our **Passion to Lead** is exemplified in every interaction we have with our customers before, during and after the sale. To us, leadership isn't about meeting expectations, it's about exceeding them.



Topload Washers Specifications

	SWLB20, SWTT20 - Porcelain Washtub SWLB21, SWTT21, SWTX21 - Stainless Steel Washtub	SWLF20, SWTY20 - Porcelain Washtub SWLF21, SWTY21 - Stainless Steel Washtub	SWT910, SWT920 - Porcelain Washtub SWT911, SWT921 - Stainless Steel Washtub
Control	NetMaster® or MDC/2-spdl/Coin	NetMaster® or MDC/2-spdl/Card	Electromechanical/2-spdl or 1-spdl/Coin
Basket/Cylinder Volume - cu. ft. ³ (liters)	SWT: 2.8 (79) SWL: 3.2 (89)	SWT: 2.8 (79) SWL: 3.2 (89)	SWT: 2.8 (79) SWL: 3.2 (89)
Cycle Time - minutes	17-30 Owner Adjustable	17-30 Owner Adjustable	17-30 Owner Adjustable
Spin Speed - RPM	2-spdl, High 710, Low 473	2-spdl, High 710, Low 473	2-spdl, High 710, Low 473 1-spdl, 710
Width - in (mm)	25 5/8" (651)	25 5/8" (651)	25 5/8" (651)
Depth - in (mm)	28" (711)	28" (711)	28" (711)
Height - in (mm)	43" (1092)	43" (1092)	43" (1092)
Work Surface Height - in (mm)	36" (914)	36" (914)	36" (914)
Weight - lb (kg)	190 (86)	190 (86)	190 (86)
Shipping Weight - lb (kg)	210 (95)	210 (95)	210 (95)
Agency Approval	UL, CE	UL, CE	UL, CE

Frontload Washers Specifications

	SWFA71, SWFB71, SWFB73, SWRB71, SWFB72, SWFA73, SWFX71, SWFX73, SWRX71, SWFT71, SWFT73, SWRT71 - Stainless Steel Washtub	SWFY71, SWFY73, SWRY71, SWFF71, SWRF71, SWFF73 - Stainless Steel Washtub	SWR971, SWR973 - Stainless Steel Washtub
Control	NetMaster® or MDC/Coin	NetMaster® or MDC/Card	Electromechanical/Coin
Basket/Cylinder Volume - cu. ft. ³ (liters)	2.84 (80)	2.84 (80)	2.84 (80)
Cycle Time - minutes	27	27	27
Spin Speed - RPM	1000, 650, 500	1000, 650, 500	1000, 650, 500
Width - in (mm)	26 7/8" (683)	26 7/8" (683)	26 7/8" (683)
Depth - in (mm)	28" (711)	28" (711)	28" (711)
Height - in (mm)	43" (1092)	43" (1092)	43" (1092)
Work Surface Height (Rear Control) - in (mm)	36" (914)	36" (914)	36" (914)
Weight - lb (kg)	Rear Control: 240 (109) Front Control: 250 (113)	Rear Control: 240 (109) Front Control: 250 (113)	Rear Control: 240 (109) Front Control: N/A
Shipping Weight - lb (kg)	Rear Control: 260 (118) Front Control: 270 (123)	Rear Control: 260 (118) Front Control: 270 (123)	Rear Control: 260 (118) Front Control: N/A
Agency Approval	UL, CE	UL, CE	UL, CE

Stack Washer/Dryers Specifications Refer to the separate washer and dryer charts for all other specifications of stacked unit.

	STEA77*, STEB77, STEX77, STET77 - Electric STGA79, STGB79, STGX79*, STGT79, STGA73 - Gas	STEF77, STEY77 - Electric STGF79, STGY79 - Gas
Control	NetMaster® or MDC/Coin	NetMaster® or MDC/Card
Width - in (mm)	26 7/8" (683)	26 7/8" (683)
Depth - in (mm)	28" (711)	28" (711)
Height - in (mm)	76 5/8" (1946)	76 5/8" (1946)
Weight - lb (kg)	Electric: 360 (163) Gas: 365 (165)	Electric: 360 (163) Gas: 365 (165)
Shipping Weight - lb (kg)	Electric: 390 (177) Gas: 395 (179)	Electric: 390 (177) Gas: 395 (179)
Agency Approval	Electric: UL, CE, Queensland Australia Gas: CSA Star, CE, Queensland Australia, Australia Gas Association	Electric: UL, CE, Queensland Australia Gas: CSA Star, CE, Queensland Australia, Australia Gas Association

*Limited Model Available

For more detailed technical information, please visit the Product section at www.speedqueen.com.

Due to continuous product improvements, design and specifications subject to change without notice. The quality management systems at all Alliance Laundry Systems manufacturing facilities are registered as ISO 9001:2000 compliant.

©Copyright 2007 Alliance Laundry Systems LLC

Dryers Specifications

	SDEA07, SDEB07, SFEBO7, SDET07†, SDEX07, SFETO7†, SFEX07* - Electric SDGA09, SDGB09, SFGT09†, SDGT09†, SDGX09†, SFGB09, SFGX09* - Gas	SDEF07, SDEY07, SFEF07, SFEY07 - Electric SDGF09, SFGF09, SFGY09, SDGY09 - Gas	SDE907† - Electric SDG909† - Gas
Control	NetMaster® or MDC/Coin	NetMaster® or MDC/Card	Electromechanical/Coin
Basket/Cylinder Volume - cu. ft. ³ (liters)	7.0 (198)	7.0 (198)	7.0 (198)
Temperature Selections	4	4	4
Reversible Door	Yes	Yes	Yes
Lint Screen Mounting	Secured	Secured	Secured
Width - in (mm)	26 7/8" (683)	26 7/8" (683)	26 7/8" (683)
Depth - in (mm)	28" (711)	28" (711)	28" (711)
Height - in (mm)	43" (1092)	43" (1092)	43" (1092)
Work Surface Height - in (mm)	Rear Control: 36" (914) Front Control: 43" (1092)	Rear Control: 36" (914) Front Control: 43" (1092)	Rear Control: 36" (914) Front Control: N/A
Weight - lb (kg)	Rear Control Electric: 135 (61) Rear Control Gas: 140 (64) Front Control Electric: 150 (68) Front Control Gas: 155 (70)	Rear Control Electric: 135 (61) Rear Control Gas: 140 (64) Front Control Electric: 150 (68) Front Control Gas: 155 (70)	Rear Control Electric: 135 (61) Rear Control Gas: 140 (64) Front Control Electric: 150 (68) Front Control Gas: 155 (70)
Shipping Weight - lb (kg)	Rear Control Electric: 145 (66) Front Control Gas: 150 (68) Rear Control Electric: 160 (73) Front Control Gas: 165 (75)	Rear Control Electric: 145 (66) Front Control Gas: 150 (68) Rear Control Electric: 160 (73) Front Control Gas: 165 (75)	Rear Control Electric: 145 (66) Front Control Gas: 150 (68) Rear Control Electric: 160 (73) Front Control Gas: 165 (75)
Agency Approval	Electric: UL, CE, Queensland Australia Gas: CSA Star, CE, Queensland Australia, Australia Gas Association	Electric: UL, CE, Queensland Australia Gas: CSA Star, CE, Queensland Australia, Australia Gas Association	Electric: UL, CE, Queensland Australia Gas: CSA Star, CE, Queensland Australia, Australia Gas Association

*Limited Model Available
† Available in Bisque color.

Stack Dryers Specifications

	SSEA17†, SSEB07†, SSEB17†, SSEX07†, SSET07†, SSET17† - Electric SSGA19†, SSGB09†, SSGB19†, SSX09†, SSGT09†, SSGT19† SSGX19* - Gas	SSEF07, SSEF17, SSEY07, SSEY17 - Electric SSGF09, SSGF19, SSGY09, SSGY19 - Gas	SSE907†, SSE917† - Electric SSG909†, SSG919† - Gas
Control	NetMaster® or MDC/Coin	NetMaster® or MDC/Card	Electromechanical/Coin
Basket/Cylinder Volume - cu. ft. ³ (liters)	7.0 (198)	7.0 (198)	7.0 (198)
Temperature Selections	4	4	4
Door Type	Solid Door (SSET07 and SSGT09) See-Thru Door (SSET17 and SSGT19)	Solid Door (SSET07 and SSGT09) See-Thru Door (SSET17 and SSGT19)	Solid Door (SSET07 and SSGT09) See-Thru Door (SSET17 and SSGT19)
Reversible Door	Yes – Solid Door/No – See-Thru Door	Yes – Solid Door/No – See-Thru Door	Yes – Solid Door/No – See-Thru Door
Lint Screen Mounting	Secured	Secured	Secured
Width - in (mm)	26 7/8" (683)	26 7/8" (683)	26 7/8" (683)
Depth - in (mm)	28" (711)	28" (711)	28" (711)
Height - in (mm)	76 5/8" (1946)	76 5/8" (1946)	76 5/8" (1946)
Weight - lb (kg)	Electric: 265 (120) Gas: 275 (125)	Electric: 265 (120) Gas: 275 (125)	Electric: 265 (120) Gas: 275 (125)
Shipping Weight - lb (kg)	Electric: 280 (127) Gas: 290 (132)	Electric: 280 (127) Gas: 290 (132)	Electric: 280 (127) Gas: 290 (132)
Agency Approval	Electric: UL, CE, Queensland Australia Gas: CSA Star, CE, Queensland Australia, Australia Gas Association	Electric: UL, CE, Queensland Australia Gas: CSA Star, CE, Queensland Australia, Australia Gas Association	Electric: UL, CE, Queensland Australia Gas: CSA Star, CE, Queensland Australia, Australia Gas Association

*Limited Model Available
† Available in Bisque color.

Printed in the U.S.A.



Printed on paper manufactured with virgin pulp from certified sources and a minimum of 10% post-consumer recovered fiber.

